

<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
70-34	2.059	140	24.045"	139	23.767"	138	23.488"	137	23.211"	136	22.932"
70-33	2.121	140	24.172"	139	23.893"	138	23.616"	137	23.337"	136	23.059"
70-32	2.187	140	24.299"	139	24.021"	138	23.742"	137	23.464"	136	23.186"
70-31	2,258	140	24.426"	139	24.148"	138	23.869"	137	23.590"	136	23.312"
70-30	2.333	140	24.552"	139	24.274"	138	23.995"	137	23.717"	136	23.438"
70-29	2.413	140	24.679"	139	24.400"	138	24.122"	137	23.843"	136	23.564"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
68-34	2	140	23.435"	139	24.067"	138	23.789"	137	23.511"	136	23.234"
68-33	2.06	140	24.473"	139	24.195"	138	23.917"	137	23.639"	136	23.361"
68-32	2.125	140	24.601"	139	23.767"	138	24.044"	137	23.767"	136	23.488"
68-31	2.194	140	24.728"	139	24.450"	138	24.172"	137	23.893"	136	23.616"
68-30	2.266	140	24.855"	139	24.577"	138	24.299"	137	24.021"	136	23.742"
68-29	2.345	140	24.982"	139	24.704"	138	24.426"	137	24.148"	136	23.869"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
66-34	1.941	140	24.664"	139	24.366"	138	24.089"	137	23.811"	136	23.534"
66-33	2	140	24.772"	139	24.494"	138	24.217"	137	23.940"	136	23.661"
66-32	2.06	140	24.901"	139	24.623"	138	24.345"	137	24.067"	136	23.788"
66-31	2.129	140	25.028"	139	24.751"	138	24.473"	137	24.195"	136	23.917"
66-30	2.2	140	25.156"	139	24.878"	138	24.601"	137	24.323"	136	24.041"
66-29	2.275	140	25.284"	139	25.006"	138	24.728"	137	24.450"	136	24.167"
66-28	2.357	140	25.411"	139	25.332"	138	24.855"	137	24.577"	136	24.299"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
65-34	1.911	140	24.792"	139	24.515"	138	24.238"	137	23.960"	136	23.683"
65-33	1.969	140	24.921"	139	24.644"	138	24.366"	137	24.089"	136	23.811"
65-32	2.03	140	25.050"	139	24.772"	138	24.494"	137	24.217"	136	23.939"
65-31	2.09	140	25.178"	139	24.901"	138	24.623"	137	24.345"	136	24.067"
65-30	2.166	140	25.306"	139	25.029"	138	24.751"	137	24.473"	136	24.195"
65-29	2.241	140	25.434"	139	25.156"	138	24.879"	137	24.601"	136	24.323"
65-28	2.321	140	25.562"	139	25.284"	138	25.006"	137	24.728"	136	24.450"

<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
64-34	1.882	140	24.940"	139	24.663"	138	24.386"	137	24.109"	136	23.831"

64-33	1.939	140	25.069"	139	24.792"	138	24.515"	137	24.238"	136	23.960"
64-32	2	140	25.198"	139	24.921"	138	24.644"	137	24.366"	136	24.217"
64-31	2.065	140	25.327"	139	25.050"	138	24.772"	137	24.494"	136	24.345"
64-30	2.133	140	25.456"	139	25.178"	138	24.901"	137	24.623"	136	24.473"
64-29	2.201	140	25.584"	139	25.306"	138	25.029"	137	24.751"	136	24.601"
64-28	2.285	140	25.712"	139	25.434"	138	25.156"	137	24.879"	136	24.728"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
61-34	1.794	140	25.382"	139	25.105"	138	24.829"	137	24.552"	136	24.275"
61-33	1.848	140	25.512"	139	25.235"	138	24.959"	137	24.681"	136	24.405"
61-32	1.906	140	25.642"	139	25.365"	138	25.088"	137	24.811"	136	24.534"
61-31	1.967	140	25.772"	139	25.494"	138	25.218"	137	24.940"	136	24.663"
61-30	2.033	140	25.901"	139	25.624"	138	25.347"	137	25.069"	136	24.792"
61-29	2.103	140	26.030"	139	25.753"	138	25.476"	137	25.198"	136	24.921"
61-28	2.178	140	26.159"	139	25.882"	138	25.605"	137	25.327"	136	25.050"

<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
70-34	2.059	135	22.654"	134	22.320"	133	22.097"	132	21.819"	131	21.819"
70-33	2.121	135	22.780"	134	22.502"	133	22.223"	132	21.945"	131	21.666"

70-32	2.187	135	22.907"	134	22.628"	133	22.350"	132	22.071"	131	21.792"
70-31	2,258	135	23.033"	134	22.755"	133	22.476"	132	22.197"	131	21.918"
70-30	2.333	135	23.159"	134	22.880"	133	22.601"	132	22.323"	131	22.043"
70-29	2.413	135	23.285"	134	23.006"	133	22.727"	132	22.448"	131	22.169"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
68-34	2	135	22.956"	134	22.687"	133	22.400"	132	22.122"	131	21.844"
68-33	2.06	135	22.083"	134	22.805"	133	22.527"	132	22.249"	131	21.970"
68-32	2.125	135	23.211"	134	22.932"	133	22.654"	132	22.375"	131	22.097"
68-31	2.194	135	23.337"	134	23.059"	133	22.781"	132	22.502"	131	22.223"
68-30	2.266	135	23.464"	134	23.186"	133	22.929"	132	22.629"	131	22.350"
68-29	2.345	135	23.590"	134	23.312"	133	23.033"	132	22.755"	131	22.476"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
66-34	1.941	135	23.256"	134	22.979"	133	22.701"	132	22.423"	131	22.145"
66-33	2	135	23.384"	134	23.107"	133	22.829"	132	22.550"	131	22.272"
66-32	2.06	135	23.512"	134	23.234"	133	22.956"	132	22.678"	131	22.400"
66-31	2.129	135	23.640"	134	23.361"	133	23.083"	132	22.805"	131	22.527"
66-30	2.2	135	23.767"	134	23.489"	133	23.211"	132	22.932"	131	22.654"
66-29	2.275	135	23.894"	134	23.616"	133	23.338"	132	23.509"	131	22.781"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
65-34	1.911	135	23.405"	134	23.128"	133	22.850"	132	22.572"	131	22.295"
65-33	1.969	135	23.534"	134	23.256"	133	22.978"	132	22.701"	131	22.368"
65-32	2.03	135	23.661"	134	23.384"	133	23.106"	132	22.829"	131	22.550"
65-31	2.09	135	23.789"	134	23.512"	133	23.234"	132	22.956"	131	22.678"
65-30	2.166	135	23.917"	134	23.640"	133	23.361"	132	23.083"	131	22.805"
65-29	2.241	135	24.044"	134	23.767"	133	23.488"	132	23.211"	131	22.932"
65-28	2.321	135	24.172"	134	23.893"	133	23.616"	132	23.338"	131	23.059"

<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
64-34	1.882	135	23.554"	134	23.277"	133	23.000"	132	22.722"	131	22.445"
64-33	1.939	135	23.682"	134	23.408"	133	23.128"	132	22.850"	131	22.572"
64-32	2	135	23.811"	134	23.534"	133	23.256"	132	22.979"	131	22.701"

64-31	2.065	135	23.939"	134	23.662"	133	23.384"	132	23.106"	131	22.829"
64-30	2.133	135	24.618"	134	23.790"	133	23.512"	132	23.234"	131	22.956"
64-29	2.201	135	24.195"	134	23.917"	133	23.639"	132	23.361"	131	23.083"
64-28	2.285	135	24.323"	134	24.045"	133	23.767"	132	23.489"	131	23.211"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
61-34	1.794	135	23.998"	134	23.721"	133	23.444"	132	23.167"	131	22.890"
61-33	1.848	135	24.127"	134	23.850"	133	23.573"	132	23.296"	131	23.019"
61-32	1.906	135	24.257"	134	23.980"	133	23.702"	132	23.425"	131	23.148"
61-31	1.967	135	24.386"	134	24.092"	133	23.831"	132	23.554"	131	23.277"
61-30	2.033	135	24.515"	134	24.238"	133	23.960"	132	23.683"	131	23.405"
61-29	2.103	135	24.644"	134	24.366"	133	24.089"	132	23.811"	131	23.534"
61-28	2.178	135	24.772"	134	24.494"	133	24.217"	132	23.939"	131	23.662"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
70-34	2.059	130	21.261"	129	20.983"	128	20.704"	127	20.704"	126	20.146"
70-33	2.121	130	21.387"	129	21.108"	128	20.829"	127	20.829"	126	20.272"
70-32	2.187	130	21.513"	129	21.234"	128	20.955"	127	20.676"	126	20.397"
70-31	2,258	130	21.639"	129	21.360"	128	21.080"	127	21.801"	126	20.521"
70-30	2.333	130	21.764"	129	21.485"	128	21.205"	127	21.205"	126	20.646"
70-29	2.413	130	21.890"	129	21.610"	128	21.330"	127	21.330"	126	20.771"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
68-34	2	130	21.565"	129	21.287"	128	21.008"	127	20.730"	126	20.452"
68-33	2.06	130	21.692"	129	21.414"	128	21.135"	127	20.856"	126	20.578"
68-32	2.125	130	21.819"	129	21.540"	128	21.261"	127	20.983"	126	20.704"
68-31	2.194	130	21.945"	129	21.666"	128	21.387"	127	21.108"	126	20.829"
68-30	2.266	130	20.071"	129	21.792"	128	21.513"	127	21.234"	126	20.955"
68-29	2.345	130	22.197"	129	21.918"	128	21.639"	127	21.360"	126	21.080"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
66-34	1.941	130	21.867"	129	21.589"	128	21.311"	127	21.033"	126	20.755"
66-33	2	130	21.995"	129	21.716"	128	21.438"	127	21.160"	126	20.882"
66-32	2.06	130	22.122"	129	21.844"	128	21.565"	127	21.287"	126	21.008"
66-31	2.129	130	22.249"	129	21.971"	128	21.692"	127	21.414"	126	21.135"

66-30	2.2	130	22.375"	129	22.097"	128	21.819"	127	21.540"	126	21.261"
66-29	2.275	130	22.502"	129	22.502"	128	21.945"	127	21.666"	126	21.387"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
65-34	1.911	130	22.017"	129	21.740"	128	21.462"	127	21.184"	126	20.905"
65-33	1.969	130	22.145"	129	21.867"	128	21.589"	127	21.311"	126	21.033"
65-32	2.03	130	22.272"	129	21.995"	128	21.716"	127	21.438"	126	21.160"
65-31	2.09	130	22.400"	129	22.122"	128	21.844"	127	21.565"	126	21.287"
65-30	2.166	130	22.527"	129	22.249"	128	21.970"	127	21.692"	126	21.414"
65-29	2.241	130	22.654"	129	22.654"	128	22.097"	127	21.819"	126	21.540"
65-28	2.321	130	22.781"	129	22.781"	128	22.223"	127	21.945"	126	21.666"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
64-34	1.882	130	22.167"	129	21.890"	128	21.612"	127	21.334"	126	21.056"
64-33	1.939	130	22.295"	129	22.017"	128	21.740"	127	21.462"	126	21.184"
64-32	2	130	22.423"	129	22.145"	128	21.867"	127	21.589"	126	21.439"
64-31	2.065	130	22.550"	129	22.273"	128	21.995"	127	21.716"	126	21.565"
64-30	2.133	130	22.678"	129	22.400"	128	22.122"	127	21.844"	126	21.692"
64-29	2.201	130	22.805"	129	22.527"	128	22.249"	127	21.971"	126	21.819"
64-28	2.285	130	22.932"	129	22.654"	128	22.376"	127	22.097"	126	21.945"
<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
61-34	1.794	130	22.613"	129	22.335"	128	22.108"	127	21.781"	126	21.504"
61-33	1.848	130	22.742"	129	22.464"	128	22.187"	127	21.910"	126	21.633"
61-32	1.906	130	22.871"	129	22.593"	128	22.316"	127	22.308"	126	21.761"
61-31	1.967	130	23.000"	129	22.722"	128	22.445"	127	22.167"	126	21.890"
61-30	2.033	130	23.128"	129	22.850"	128	22.572"	127	22.295"	126	22.017"
61-29	2.103	130	23.256"	129	22.979"	128	22.701"	127	22.423"	126	22.145"
61-28	2.178	130	23.384"	129	23.107"	128	22.829"	127	22.550"	126	22.273"
61-27	2.259	130	23.503"	129	23.234"	128	22.956"	127	22.670"	126	22.400"

<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>					<b>PULLEYS</b>	<b>RATIO</b>	<b>BELT</b>	<b>CEN. - CEN.</b>
70-34	2.059	125	19.867"					64-34	1.882	125	20.778"
70-33	2.121	125	19.992"					64-33	1.939	125	20.906"
70-32	2.187	125	20.117"					64-32	2	125	21.033"
70-31	2,258	125	20.242"					64-31	2.065	125	21.160"
70-30	2.333	125	20.366"					64-30	2.133	125	21.287"



